



ATTITUDE
October 2016
 EISP7



Mark For: _____ Date: _____ Dealer Acct #: _____ Dealer: _____ Dealer Contact: _____ Dealer Address: _____ Dealer City: _____ ST: _____ ZIP: _____ Dealer Phone: () _____ Fax: () _____ Confirmation Email: _____ Confirm Via: <input type="checkbox"/> Fax <input type="checkbox"/> Email	Submitting for: <input type="checkbox"/> Quote <input type="checkbox"/> Order PO#: _____ <p style="text-align: center;">ADDITIONAL SHIPPING INFORMATION</p> Ship To: _____ Attention: _____ Address: _____ Address: _____ Ship To City: _____ ST: _____ ZIP: _____ Ship To Phone: () _____ Fax: () _____
---	---

<input type="checkbox"/> I am ordering an ATTITUDE and NEW QUICKIE rigid Please configure your new QUICKIE chair first	<input type="checkbox"/> I am ONLY ordering the ATTITUDE hand bike Serial Number of existing chair
--	---

✓ Option #	Definition	Price	✓ Option #	Definition	Price
1. MODELS					

Base Model			
<input type="checkbox"/>	204BX13	ATTITUDE Manual	\$3,895.00
<input type="checkbox"/>	204BX14	ATTITUDE Hybrid	\$6,195.00

Wheelchair Model			
<i>Fixed front only. GPV not available</i>			
<input type="checkbox"/>	204MF02	Quickie 7R / 7RS	NC
<input type="checkbox"/>	204MF03	Quickie Q7 NexGen	NC
<input type="checkbox"/>	204MF04	Quickie 5R	NC
<input type="checkbox"/>	204MF05	Quickie GT	NC
<input type="checkbox"/>	204MF06	Quickie QRi	NC
<input type="checkbox"/>	204MF07	Quickie GP	NC
<input type="checkbox"/>	204MF08	Quickie 2 Lite <i>Fixed front & Non Hemi</i>	NC

Users Weight
Max User Weight 220 lbs



2. WHEELS

ATTITUDE Wheels			
<i>Only available in 20" pneumatic wheels</i>			
<input type="checkbox"/>	204DW63	Knobby Tread Mountain tire	NC
<input type="checkbox"/>	204DW64	Schwalbe Marathon Plus Evolution City tire	NC

3. GEAR AND SHIFTERS

Manual Gear and Shifters

Dual drive (3X10 speed) for manual

<input type="checkbox"/>	204GT03	Gear, dual drive, 3 speed integral hub, 10 speed cassette with derailleur <i>(pick a shifter)</i>	STD
<input type="checkbox"/>	204UI01	Shifter, trigger <i>RH only</i>	NC
<input type="checkbox"/>	204UI02	Shifter, grip shift, 10 speed	\$155.00
<input type="checkbox"/>	204GT04	Gear hub, 8 speed, coaster brake <i>Grip shift only</i>	NC

Hybrid Gear and Shifters

<input type="checkbox"/>	204GT05	10 speed cassette with derailleur <i>(pick a shifter)</i>	STD
<input type="checkbox"/>	204UI03	Shifter, trigger <i>RH only</i>	NC
<input type="checkbox"/>	204UI04	Shifter, grip shift, 10 speed <input type="checkbox"/> RH side <input type="checkbox"/> LH side	\$155.00
<input type="checkbox"/>	204UI05	Shifter, universal, 1 lever	\$315.00

4. CRANK AND HANDLE

Crank

204CK7	V-crank <i>Lenh: 6.7", Width: 18"</i>	STD
--------	--	-----

Handles

<input type="checkbox"/>	204HY13	Handle, straight, 10° angle, round, diameter 1 1/8"	STD
<input type="checkbox"/>	204HM14	Quad, hand support	\$155.00
<input type="checkbox"/>	204HM15	Quad, arm support	\$155.00
<input type="checkbox"/>	204HY14	Handle, straight, 10° angle, round, <i>diameter 1.5"</i>	NC
<input type="checkbox"/>	204HY15	Handle, straight, 25° angle, oval, <i>diameter 1.5" x .82"</i>	\$115.00
<input type="checkbox"/>	204HY16	Handle, straight, 25° angle, oval, <i>diameter 1.9" x .90"</i>	\$115.00

5. DISC BRAKE

Disc Brake

Disk 160 mm; for driving and parking brake. NA with gear Hub, 8 speed, coaster brake.

<input type="checkbox"/>	204LD01	Front disc brake, manual lever brake <i>Disc parking brake</i> <input type="checkbox"/> RH position <input type="checkbox"/> LH position	NC
<input type="checkbox"/>	204LD03	Front disc brake, manual lever brake <i>Caliper parking brake, RH side only</i>	NC

6. BATTERY

Hybrid Battery models

Charger included

<input type="checkbox"/>	204AG15	Battery, Lithium-ion, 14,5 Ah	STD
<input type="checkbox"/>	204AG16	Additional Battery, Lithium-ion	\$950.00
<input type="checkbox"/>	204BJ26	Additional charger, Hybrid	\$125.00

7. DISPLAY

Hybrid Display

<input type="checkbox"/>	204EC10	Standard Display <i>Monochrome, includes controls for e-motor & Speedometer</i>	STD
<input type="checkbox"/>	204EC11	Connect Display <i>Colored, includes Smartphone connect via bluetooth</i>	\$175.00

8. KEY OPTIONS & ACCESSORIES

ACCESSORIES

Speedometer integrated in the display for Hybrid. All chairs come standard with Front/Rear lamps, Speedometer & Mudguard

	2048A36	Front - & rear lamp	STD
	2048A37	Speedometer	STD
	2048A38	Mudguard, bolt on, black	STD
<input type="checkbox"/>	2048A39	Rear view mirror	\$55.00
<input type="checkbox"/>	2048A40	Bottle holder	\$30.00
<input type="checkbox"/>	2048A41	Low rider carrier for saddle bags	\$85.00
<input type="checkbox"/>	2048A42	High pressure pump <i>(0 - 160 PSI)</i>	\$70.00
<input type="checkbox"/>	2048A43	Additional weight, removable, 11 lbs, to increase traction	\$90.00
<input type="checkbox"/>	2048A44	Bell	\$25.00
<input type="checkbox"/>	2048A45	Multitool	\$25.00
<input type="checkbox"/>	2049A01	Clear frame protectors	\$45.00

General NoGos:

- > Weight capacity greater than 220 lbs
- > Suspension frame
- > Swing Away frame & GPV
- > Transit
- > Grade Aids

9. COLOR

Standard Frame Color			
<input type="checkbox"/>	204C140	Aztec Gold	NC
<input type="checkbox"/>	204C2	Black	NC
<input type="checkbox"/>	204C141	Black Cherry	NC
<input type="checkbox"/>	204C10	Black Opal	NC
<input type="checkbox"/>	204C38	Blue Opal	NC
<input type="checkbox"/>	204C36	Candy Blue	NC
<input type="checkbox"/>	204C14	Candy Purple	NC
<input type="checkbox"/>	204C35	Candy Red	NC
<input type="checkbox"/>	204C142	Electric Blue	NC
<input type="checkbox"/>	204C143	Evergreen	NC
<input type="checkbox"/>	204C44	Glossy White	NC
<input type="checkbox"/>	204C126	Glow	NC
<input type="checkbox"/>	204C144	Green Apple	NC
<input type="checkbox"/>	204C147	Hot Sparkle Pink	NC
<input type="checkbox"/>	204C148	Mauve Pink	NC
<input type="checkbox"/>	204C103	Rootbeer	NC
<input type="checkbox"/>	204C114	Sparkle Silver	NC
<input type="checkbox"/>	204C145	Sunrise Orange	NC
<input type="checkbox"/>	204C113	Titanium Color Paint	NC
<input type="checkbox"/>	204C8	Yellow	NC

Matte Frame Colors			
<input type="checkbox"/>	204C116	Matte Black	NC
<input type="checkbox"/>	204C151	Matte Black Cherry	NC
<input type="checkbox"/>	204C150	Matte Electric Blue	NC
<input type="checkbox"/>	204C149	Matte Evergreen	NC
<input type="checkbox"/>	204C152	Matte Purple	NC

Custom Frame Color			
<input type="checkbox"/>	204C112	Desert Camouflage	\$295.00
<input type="checkbox"/>	204C43	Mossy Oak Camouflage	\$295.00
<input type="checkbox"/>	204C42	Stars & Stripes	\$295.00
<input type="checkbox"/>	204C108	Zebra (Choose above base color) Std with White unless above base paint is chosen NA w/ Blk, Matte Black, Blk Opal, Titanium)	\$295.00

Built For Me

To inquire about any unique customization for Quickie products, contact:
 Phone: (800) 333 - 4000, Option #3, Fax: (800) 333 9011



- Commonly Requested Options Include:**
- ✓ Custom extension for universal shifter
 - ✓ Special length V-crank

****OUR TECH TEAM IS HERE TO HELP FOR SPECIAL NEEDS: ATTITUDEORDERS@SUNMED.COM****



11. WHEEL CHAIR MODEL INFO

Q7, 7^R / 7^{RS} & QRi

Please fill in additional information if you selected to order the ATTITUDE bike with a wheel chair. **If your chair has been modified from original specification please provide details in the sections below. Visit ww.sunrisemedical.com website and use "Serial Number Inquiry" to get the information below.**

Wheel chair serial number

Serial Number: _____

Seat Width

<input type="checkbox"/> 204S3	12"	<input type="checkbox"/> 204S8	17"
<input type="checkbox"/> 204S4	13"	<input type="checkbox"/> 204S9	18"
<input type="checkbox"/> 204S5	14"	<input type="checkbox"/> 204S10	19"
<input type="checkbox"/> 204S6	15"	<input type="checkbox"/> 204S11	20"
<input type="checkbox"/> 204S7	16"		

Seat Depth

<input type="checkbox"/> 204SD5	12"	<input type="checkbox"/> 204SD10	17"
<input type="checkbox"/> 204SD6	13"	<input type="checkbox"/> 204SD11	18"
<input type="checkbox"/> 204SD7	14"	<input type="checkbox"/> 204SD12	19"
<input type="checkbox"/> 204SD8	15"	<input type="checkbox"/> 204SD75	20"
<input type="checkbox"/> 204SD9	16"		

Frame Inset Per Side

2" Inset not available with QRi

<input type="checkbox"/> 204FF1	0"
<input type="checkbox"/> 204FF2	1"
<input type="checkbox"/> 204FF3	2"

FS FAB Dimension

FAB Dimension 11, 13 & 14 N/A with QRi

<input type="checkbox"/> 204FG06	10	<input type="checkbox"/> 204FG09	13
<input type="checkbox"/> 204FG07	11	<input type="checkbox"/> 204FG10	14
<input type="checkbox"/> 204FG08	12		

FAB Angle

<input type="checkbox"/> 204VF01	A
<input type="checkbox"/> 204VF02	B
<input type="checkbox"/> 204VF03	C

Caster setting

This section N/A with QRi

<input type="checkbox"/> 204LH01	Setting 1	Suggested for 3" & 4" casters.
<input type="checkbox"/> 204LH02	Setting 2	Suggested for 5" & 6" casters.
<input type="checkbox"/> 204LH03	Setting 3	NA w/ 6" casters

Caster Wheels

<input type="checkbox"/> 204OC22	3" Micro	N/A with QRi
<input type="checkbox"/> 204OC23	3" Micro Light Up	N/A w/QRi & 7R
<input type="checkbox"/> 204OC24	4" Micro Light Up	N/A with QRi
<input type="checkbox"/> 204OC25	4" Low Profile Poly	
<input type="checkbox"/> 204OC26	4" x 1" Aluminum Poly	N/A with QRi
<input type="checkbox"/> 204OC27	4 X 1.25" Semi Pneumatic	
<input type="checkbox"/> 204OC28	4 X 1.5" Aluminum Soft Roll	
<input type="checkbox"/> 204OC29	5" Micro Light Up	N/A with QRi
<input type="checkbox"/> 204OC30	5" Low Profile Poly	
<input type="checkbox"/> 204OC31	5" Soft Roll Semi Pneumatic	N/A with QRi
<input type="checkbox"/> 204OC32	5" Aluminum Poly	
<input type="checkbox"/> 204OC33	5" X 1.5" Semi Pneumatic	
<input type="checkbox"/> 204OC34	5 X 1.5" Aluminum Soft Roll	
<input type="checkbox"/> 204OC35	6" Polyurethane	
<input type="checkbox"/> 204OC36	6" Pneumatic	N/A w/QRi & 7R
<input type="checkbox"/> 204OC37	6" x 1" Aluminum Polyurethane	N/A w/QRi & 7R
<input type="checkbox"/> 204OC38	6" X 1.5" Semi-Pneumatic	
<input type="checkbox"/> 204OC39	6" X 1.5" Aluminum Soft Roll	

Caster Fork (Q7/7^R/7^{RS} only)

<input type="checkbox"/> 204OC8	Carbotecture	<input type="checkbox"/> Low	<input type="checkbox"/> Standard
<input type="checkbox"/> 204OC10	Multiposition	<input type="checkbox"/> Low	<input type="checkbox"/> Standard
<input type="checkbox"/> 204OC13	Single Side	<input type="checkbox"/> Low	<input type="checkbox"/> Standard
<input type="checkbox"/> 204OC9	Frog Legs		

Caster Fork (QRi only)

<i>Spacer style</i>			
<input type="checkbox"/> 204OC4	5-1/4" Fork	<input type="checkbox"/> Std	<input type="checkbox"/> +.5" <input type="checkbox"/> +1"
<input type="checkbox"/> 204OC5	6" Fork	<input type="checkbox"/> Std	<input type="checkbox"/> +.5" <input type="checkbox"/> +1"
<input type="checkbox"/> 204OC9	Frog Legs	<input type="checkbox"/> 2.5"	<input type="checkbox"/> 4"

Caster Hole Position

<input type="checkbox"/> 204OC18	Hole position 1 (Bottom)
<input type="checkbox"/> 204OC19	Hole position 2
<input type="checkbox"/> 204OC20	Hole position 3
<input type="checkbox"/> 204OC21	Hole position 4 (Top)

Rear Wheel size

Measure your wheel in case it changed from original configuration.

<input type="checkbox"/> 204WS4	20"
<input type="checkbox"/> 204WS5	22"
<input type="checkbox"/> 204WS16	24"
<input type="checkbox"/> 204WS22	25"
<input type="checkbox"/> 204WS17	26"

Center of Gravity Preset

Measure from front of back post to the center of rear axle.

0 - 0.5" COG only available with Q7-7^R. QRi not available with 4.0" COG

<input type="checkbox"/> 204CC12	0.0"	<input type="checkbox"/> 204CC5	2.5"
<input type="checkbox"/> 204CC1	0.5"	<input type="checkbox"/> 204CC6	3.0"
<input type="checkbox"/> 204CC2	1.0"	<input type="checkbox"/> 204CC7	3.5"
<input type="checkbox"/> 204CC3	1.5"	<input type="checkbox"/> 204CC8	4.0"
<input type="checkbox"/> 204CC4	2.0"		

Wheel Lock

<input type="checkbox"/> 204WL1	High Mount Push
<input type="checkbox"/> 204WL2	High Mount Pull
<input type="checkbox"/> 204WL45	Ergo Scissor
<input type="checkbox"/> 204WL30	Compact

Disregard this page if this is
NOT the chair to use with the
Attitude bike

11. WHEEL CHAIR MODEL INFO

GT & 5^R

Please fill in additional information if you selected to order the ATTITUDE bike with a wheel chair. **If your chair has been modified from original specification please provide details in the sections below. Visit www.sunrisemedical.com website and use "Serial Number Inquiry" to get the information below.**

Wheel chair serial number

Serial Number: _____

Seat Width

<input type="checkbox"/> 204S3	12"	<input type="checkbox"/> 204S8	17"
<input type="checkbox"/> 204S4	13"	<input type="checkbox"/> 204S9	18"
<input type="checkbox"/> 204S5	14"	<input type="checkbox"/> 204S10	19"
<input type="checkbox"/> 204S6	15"	<input type="checkbox"/> 204S11	20"
<input type="checkbox"/> 204S7	16"		

Seat Depth

<input type="checkbox"/> 204SD5	12"	<input type="checkbox"/> 204SD10	17"
<input type="checkbox"/> 204SD6	13"	<input type="checkbox"/> 204SD11	18"
<input type="checkbox"/> 204SD7	14"	<input type="checkbox"/> 204SD12	19"
<input type="checkbox"/> 204SD8	15"	<input type="checkbox"/> 204SD75	20"
<input type="checkbox"/> 204SD9	16"		

Frame Inset Per Side

<input type="checkbox"/> 204FF1	0"
<input type="checkbox"/> 204FF2	1"
<input type="checkbox"/> 204FF3	2"

FS FAB Dimension

<input type="checkbox"/> 204FG06	10	<input type="checkbox"/> 204FG09	13
<input type="checkbox"/> 204FG07	11	<input type="checkbox"/> 204FG10	14
<input type="checkbox"/> 204FG08	12		

Frame Angle

<input type="checkbox"/> 204FA1	75°
<input type="checkbox"/> 204FA8	80°
<input type="checkbox"/> 204FA2	85°

Caster Wheels

<input type="checkbox"/> 204OC22	3" Micro	
<input type="checkbox"/> 204OC23	3" Micro Light Up	
<input type="checkbox"/> 204OC24	4" Micro Light Up	
<input type="checkbox"/> 204OC25	4" Low Profile Poly	
<input type="checkbox"/> 204OC26	4" x 1" Aluminum Poly	
<input type="checkbox"/> 204OC27	4 X 1.25" Semi Pneumatic	
<input type="checkbox"/> 204OC28	4 X 1.5" Aluminum Soft Roll	
<input type="checkbox"/> 204OC29	5" Micro Light Up	
<input type="checkbox"/> 204OC30	5" Low Profile Poly	
<input type="checkbox"/> 204OC31	5" Soft Roll Semi Pneumatic	
<input type="checkbox"/> 204OC32	5" Aluminum Poly	
<input type="checkbox"/> 204OC33	5" X 1.5" Semi Pneumatic	
<input type="checkbox"/> 204OC34	5 X 1.5" Aluminum Soft Roll	
<input type="checkbox"/> 204OC35	6" Polyurethane	
<input type="checkbox"/> 204OC37	6" x 1" Aluminum Polyurethane	N/A with 5R
<input type="checkbox"/> 204OC38	6" X 1.5" Semi-Pneumatic	
<input type="checkbox"/> 204OC39	6" X 1.5" Aluminum Soft Roll	

Caster Fork

<input type="checkbox"/> 204OC8	Carbotecture	<input type="checkbox"/> Low	<input type="checkbox"/> Standard
<input type="checkbox"/> 204OC10	Multiposition	<input type="checkbox"/> Low	<input type="checkbox"/> Standard
<input type="checkbox"/> 204OC13	Single Side	<input type="checkbox"/> Low	<input type="checkbox"/> Standard
<input type="checkbox"/> 204OC11	Short		GT only
<input type="checkbox"/> 204OC12	Short Wide		GT only
<input type="checkbox"/> 204OC14	Tall Wide		GT only
<input type="checkbox"/> 204OC9	Frog Legs		

Caster Hole Position

	5R chair only		GT chair only
<input type="checkbox"/> 204OC18	Hole position 1	<input type="checkbox"/> 204OC15	Top
<input type="checkbox"/> 204OC19	Hole position 2	<input type="checkbox"/> 204OC16	Middle
<input type="checkbox"/> 204OC20	Hole position 3	<input type="checkbox"/> 204OC17	Bottom

Rear Wheel size

Measure your wheel in case it changed from original configuration.

<input type="checkbox"/> 204WS4	20"
<input type="checkbox"/> 204WS5	22"
<input type="checkbox"/> 204WS16	24"
<input type="checkbox"/> 204WS22	25"
<input type="checkbox"/> 204WS17	26"

Center of Gravity Preset

Measure from front of back post to the center of rear axle.

-1.5" COG only with 5R. 4.5" COG only with GT

<input type="checkbox"/> 204CC29	-1.5"	<input type="checkbox"/> 204CC3	1.5"
<input type="checkbox"/> 204CC11	-1.0"	<input type="checkbox"/> 204CC4	2.0"
<input type="checkbox"/> 204CC28	-0.5"	<input type="checkbox"/> 204CC5	2.5"
<input type="checkbox"/> 204CC12	0.0"	<input type="checkbox"/> 204CC6	3.0"
<input type="checkbox"/> 204CC1	0.5"	<input type="checkbox"/> 204CC7	3.5"
<input type="checkbox"/> 204CC2	1.0"	<input type="checkbox"/> 204CC8	4.0"
		<input type="checkbox"/> 204CC9	4.5"

Wheel Lock

<input type="checkbox"/> 204WL1	High Mount Push
<input type="checkbox"/> 204WL2	High Mount Pull
<input type="checkbox"/> 204WL45	Ergo Scissor
<input type="checkbox"/> 204WL30	Compact

Disregard this page if this is **NOT** the chair to use with the Attitude bike

11. WHEEL CHAIR MODEL INFO

Please fill in additional information if you selected to order the ATTITUDE bike with a wheel chair. **If your chair has been modified from original specification please provide details in the sections below. Visit www.sunrisemedical.com website and use "Serial Number Inquiry" to get the information below.**

Wheel chair serial number

GPV not available with Attitude bike

Serial Number: _____

Seat Width

21"W - 22"W not available because of safety issues

<input type="checkbox"/>	204S3	12"	<input type="checkbox"/>	204S7	16"
<input type="checkbox"/>	204S4	13"	<input type="checkbox"/>	204S8	17"
<input type="checkbox"/>	204S5	14"	<input type="checkbox"/>	204S9	18"
<input type="checkbox"/>	204S6	15"			

Seat Depth

<input type="checkbox"/>	204SD5	12"	<input type="checkbox"/>	204SD10	17"
<input type="checkbox"/>	204SD6	13"	<input type="checkbox"/>	204SD11	18"
<input type="checkbox"/>	204SD7	14"	<input type="checkbox"/>	204SD12	19"
<input type="checkbox"/>	204SD8	15"	<input type="checkbox"/>	204SD75	20"
<input type="checkbox"/>	204SD9	16"	<input type="checkbox"/>	204SD77	22"

Frame Angle

<input type="checkbox"/>	204FA6	60°
<input type="checkbox"/>	204FA7	70°
<input type="checkbox"/>	204FA1	75°
<input type="checkbox"/>	204FA8	80°

Rear Wheel size

Measure your wheel in case it changed from original configuration.

<input type="checkbox"/>	204WS5	22"
<input type="checkbox"/>	204WS16	24"
<input type="checkbox"/>	204WS17	26"

Caster Wheels

<input type="checkbox"/>	204OC25	4" Low Profile Poly
<input type="checkbox"/>	204OC30	5" Low Profile Poly
<input type="checkbox"/>	204OC31	5" Soft Roll Semi Pneumatic
<input type="checkbox"/>	204OC33	5" X 1.5" Semi Pneumatic
<input type="checkbox"/>	204OC35	6" Polyurethane
<input type="checkbox"/>	204OC36	6" Pneumatic
<input type="checkbox"/>	204OC38	6" X 1.5" Semi-Pneumatic
<input type="checkbox"/>	204OC41	8" POLY TIRE
<input type="checkbox"/>	204OC42	8" PNEUMATIC TIRE
<input type="checkbox"/>	204OC43	8 X 2 FOAM INSERT TIRE
<input type="checkbox"/>	204OC44	8 X 2 PNEUMATIC TIRE

Caster Fork

Stem style

<input type="checkbox"/>	204OC3	4-1/4" Fork	<input type="checkbox"/>	Std	<input type="checkbox"/>	3/4"	<input type="checkbox"/>	1-1/2"
<input type="checkbox"/>	204OC4	5-1/4" Fork	<input type="checkbox"/>	Std	<input type="checkbox"/>	3/4"	<input type="checkbox"/>	1-1/2"
<input type="checkbox"/>	204OC5	6" Fork	<input type="checkbox"/>	Std	<input type="checkbox"/>	3/4"	<input type="checkbox"/>	1-1/2"
<input type="checkbox"/>	204OC6	7" Fork	<input type="checkbox"/>	Std	<input type="checkbox"/>	3/4"	<input type="checkbox"/>	1-1/2"
<input type="checkbox"/>	204OC7	8" x 2" Fork	<input type="checkbox"/>	Std	<input type="checkbox"/>	3/4"	<input type="checkbox"/>	1-1/2"

Caster Hole Position

<input type="checkbox"/>	204OC15	Top
<input type="checkbox"/>	204OC17	Bottom

Center of Gravity Preset

CG must be set up in the rear position so it's compatible with the bike

Wheel Lock

<input type="checkbox"/>	204WL1	High Mount Push
<input type="checkbox"/>	204WL2	High Mount Pull
<input type="checkbox"/>	204WL45	Ergo Scissor
<input type="checkbox"/>	204WL30	Compact

Frame Height

<input type="checkbox"/>	204FH2	Short (FRONT 9.25"-REAR 8.25")
<input type="checkbox"/>	204FH5	Standard (FRONT 10"-REAR 9")
<input type="checkbox"/>	204FH7	Tall (FRONT 11"-REAR 10")

Disregard this page if this is **NOT** the chair to use with the Attitude bike

11. WHEEL CHAIR MODEL INFO

Q2 Lite

Please fill in additional information if you selected to order the ATTITUDE bike with a wheel chair. **If your chair has been modified from original specification please provide details in the sections below. Visit www.sunrisemedical.com website and use "Serial Number Inquiry" to get the information below.**

Wheel chair serial number

Serial Number: _____

Frame Width

<input type="checkbox"/>	204S5	14"	<input type="checkbox"/>	204S8	17"
<input type="checkbox"/>	204S6	15"	<input type="checkbox"/>	204S9	18"
<input type="checkbox"/>	204S7	16"	<input type="checkbox"/>	204S10	19"
			<input type="checkbox"/>	204S11	20"

Seat Depth

<input type="checkbox"/>	204SD7	14"	<input type="checkbox"/>	204SD10	17"
<input type="checkbox"/>	204SD8	15"	<input type="checkbox"/>	204SD11	18"
<input type="checkbox"/>	204SD9	16"	<input type="checkbox"/>	204SD12	19"
			<input type="checkbox"/>	204SD75	20"

Frame Inset Per Side

<input type="checkbox"/>	204FF1	0"
<input type="checkbox"/>	204FF2	1"

Rear Wheel size

Measure your wheel in case it changed from original configuration.

<input type="checkbox"/>	204WS4	20"
<input type="checkbox"/>	204WS5	22"
<input type="checkbox"/>	204WS16	24"
<input type="checkbox"/>	204WS22	25"
<input type="checkbox"/>	204WS17	26"

Caster Wheels

<input type="checkbox"/>	204OC22	3" Micro
<input type="checkbox"/>	204OC23	3" Micro Light Up
<input type="checkbox"/>	204OC24	4" Micro Light Up
<input type="checkbox"/>	204OC25	4" Low Profile Poly
<input type="checkbox"/>	204OC26	4" x 1" Aluminum Poly
<input type="checkbox"/>	204OC27	4 X 1.25" Semi Pneumatic
<input type="checkbox"/>	204OC28	4 X 1.5" Aluminum Soft Roll
<input type="checkbox"/>	204OC29	5" Micro Light Up
<input type="checkbox"/>	204OC30	5" Low Profile Poly
<input type="checkbox"/>	204OC31	5" Soft Roll Semi Pneumatic
<input type="checkbox"/>	204OC32	5" Aluminum Poly
<input type="checkbox"/>	204OC33	5" X 1.5" Semi Pneumatic
<input type="checkbox"/>	204OC34	5 X 1.5" Aluminum Soft Roll
<input type="checkbox"/>	204OC35	6" Polyurethane
<input type="checkbox"/>	204OC36	6" Pneumatic
<input type="checkbox"/>	204OC37	6" x 1" Aluminum Polyurethane
<input type="checkbox"/>	204OC38	6" X 1.5" Semi-Pneumatic
<input type="checkbox"/>	204OC39	6" X 1.5" Aluminum Soft Roll
<input type="checkbox"/>	204OC40	7" Polyurethane

Caster Fork

<input type="checkbox"/>	204OC11	Short Fork	<input type="checkbox"/>	None	<input type="checkbox"/>	+5"	<input type="checkbox"/>	+1"
<input type="checkbox"/>	204OC12	Short Wide Fork	<input type="checkbox"/>	None	<input type="checkbox"/>	+5"	<input type="checkbox"/>	+1"
<input type="checkbox"/>	204OC14	Tall Wide Fork	<input type="checkbox"/>	None	<input type="checkbox"/>	+5"	<input type="checkbox"/>	+1"

Caster Hole Position

<input type="checkbox"/>	204OC15	Top
<input type="checkbox"/>	204OC16	Middle
<input type="checkbox"/>	204OC17	Bottom

Center of Gravity Preset

Measure from front of back post to the center of rear axle.

<input type="checkbox"/>	204CC2	1.0"
<input type="checkbox"/>	204CC3	1.5"
<input type="checkbox"/>	204CC4	2.0"
<input type="checkbox"/>	204CC5	2.5"
<input type="checkbox"/>	204CC6	3.0"

Wheel Lock

<input type="checkbox"/>	204WL1	High Mount Push
<input type="checkbox"/>	204WL2	High Mount Pull
<input type="checkbox"/>	204WL45	Ergo Scissor
<input type="checkbox"/>	204WL30	Compact

Frame Style

<input type="checkbox"/>	204FS32	Fixed Front 70°
<input type="checkbox"/>	204FS33	Fixed Front 80°

Disregard this page if this is **NOT** the chair to use with the Attitude bike