



Breezy 600
EIB60, January 2018

ACCOUNT INFORMATION

Account No: _____ Drop Ship/Ship To: _____
 Date: _____ Name: _____
 P.O. #: _____ Address: _____
 Buyer: _____ City: _____ State: _____
 Marked For: _____ Zip Code: _____ Phone Number: _____

The HCPCS codes provided are based on code verification by the PDAC or our interpretation of the code definitions.
 Proper use of HCPCS codes does not ensure coverage or payment. For coverage information, verify the appropriate payor's coverage policy.

1. FRAME

BREEZY 600

Hangers not included in base price

- 086WM20 K0004 Breezy 600 \$1,250.00

2. SIZE / SEATING

Seat to Floor Height Range

- Standard (15" - 20 1/2", see matrix) Std
- Ultra Hemi (13" - 18", see matrix) NC

Seat Width

- 086W5 14" Std
- 086W7 16" Std
- 086W9 18" Std
- 086W42 E2201 20" \$140.00

Seat Depth

- 086FD7 16" Std
- 086FD9 18" NC

Seat Height

- 086HT1 13" \$95.00
- 086HT2 14" \$95.00
- 086HT3 14 1/2 " \$95.00
- 086HT4 15" \$95.00
- 086HT5 15 1/2" \$95.00
- 086HT6 16" \$95.00
- 086HT7 16 1/2" \$95.00
- 086HT8 17" NC
- 086HT9 17.5" NC
- 086HT10 18" NC
- 086HT11 18.5" NC
- 086HT12 19" ¹² NC
- 086HT13 19.5" ¹² NC
- 086HT14 20" ¹² NC
- 086HT16 20.5" ¹² NC

Seat Sling

- 086SL3 Padded Seat Sling \$15.00
- 086SL4 Non-padded Seat Sling ² Std
- 086SL6 Omit Seat Sling -\$15.00

Cushion

To order any JAY cushions on-chair, please see JAY price list.

- 086JC01 JAY Basic Price List
- 086JC02 JAY Easy Price List
- 086JC03 JAY Soft Combi P Price List
- 086JC04 JAY J2 Price List
- 086JC05 JAY J2 Deep Contour Price List
- 086JC06 JAY Lite Price List
- 086JC07 JAY J3 Price List
- 086CU1 E0669 2" Cushion \$120.00

3. CASTERS

CASTERS

<input type="checkbox"/>	5" Polyurethane	NC
<input type="checkbox"/>	8" Polyurethane ¹⁶	Std
<input type="checkbox"/>	8" Pneumatic ⁶	\$85.00

Footnotes:

- ¹ Not available when using Standard frame.
- ² For use with cushion.
- ³ Only available with standard hemi extension tube.
- ⁴ Not available with Ultra Hemi frame.
- ⁵ Not available with 8" pneumatic casters.
- ⁶ Not available with 20" rear wheels when using Standard frame.
- ⁷ Only available with 8" casters.
- ⁸ Not available with 14" seat width.
- ⁹ Pull-to-lock wheel locks required.
- ¹⁰ Not available with composite footplates.
- ¹¹ Not available with articulating legrest.
- ¹² Must use 1-1/2" stem.
- ¹³ Not available with ELR.
- ¹⁴ Only available with ELR
- ¹⁵ To order a J3 Back please select Omit Back Upholstery.
Please note: The J3 Back requires back canes or push handles.
- ¹⁶ Not available with 70° hangers due to interference

Caster Options

<input type="checkbox"/>	1-1/2" Fork Stem (Double Bearing)	\$35.00
<input type="checkbox"/>	086CP13 Double Bearing Caster Plate	\$35.00

4. REAR WHEELS

Rear Wheel Size

<input type="checkbox"/>	086WS4	20"	NC
<input type="checkbox"/>	086WS5	22"	NC
<input type="checkbox"/>	086WS6	24"	Std

Rear Wheel Tires

<input type="checkbox"/>	086RT4	Low-profile Polyurethane ^{17,21}	Std
<input type="checkbox"/>	086RT29	E2218 Full-profile Polyurethane ^{18,21}	\$50.00
<input type="checkbox"/>	086RT35	E2211 Pneumatic ²¹	\$165.00
<input type="checkbox"/>	086RT33	E2211 Pneumatic w/Airless Insert ^{21,22}	\$215.00

Hand Rims

<input type="checkbox"/>	086HR5	Composite ²¹	Std
<input type="checkbox"/>	086HR2	Aluminum - painted ²¹	NC
<input type="checkbox"/>	086HR1	Aluminum - anodized ²¹	\$0.00
<input type="checkbox"/>	086HR4	Plastic Coated ²¹	\$95.00
<input type="checkbox"/>	086HR7	Omit Hand Rims ²¹	NC

Axle

<input type="checkbox"/>	086AL4	Threaded Offset Axles	Std
<input type="checkbox"/>	086AX43	Quick-Release Rear Axles	\$95.00
<input type="checkbox"/>	86OA2	E0958 One-Arm Drive ^{23,24}	\$850.00
<input type="checkbox"/>	086HM2	Left Mount	
<input type="checkbox"/>	086HM1	Right Mount	

Anti-Tip Tubes

<input type="checkbox"/>	086AT1	E0971 Rear Anti-Tip Tubes	\$140.00
--------------------------	--------	---------------------------	----------

Projections^{19, 21}

<input type="checkbox"/>	086HR8	Oblique - 8	\$325.00
--------------------------	--------	-------------	----------

Wheel Locks

<input type="checkbox"/>	086WL1	High-Push Breezy-Style	Std
<input type="checkbox"/>	086WL2	High-Pull Breezy-Style	NC
<input type="checkbox"/>	086WL22	High-Push Quickie-Style	\$40.00
<input type="checkbox"/>	086WL21	High-Pull Quickie-Style	\$40.00

Wheel Lock Options

<input type="checkbox"/>	086EH1	E0961 6" Ext. Handles with Bungee	\$75.00
<input type="checkbox"/>	086GA1	E0974 Grade Aids ^{20,25}	\$150.00

See Sunrise Seating Solutions on reverse side.

TOTAL CHAIR PRICE: \$ _____

FOOTNOTES:

- ¹⁷ Not available with Projection Hand Rims.
- ¹⁸ "No Charge" option when used with Projection Hand Rims.
- ¹⁹ Not available with Low-profile polyurethane tires. Full-profile Polyurethane tires available as "No Charge" option. Requires 24" rear wheels.
- ²⁰ Not available with Polyurethane tires.
- ²¹ Not available with 24" Mag SLT
- ²² Must order Pneumatic tire with Flat Free Insert
- ²³ Not available with Ultra Hemi frame.
- ²⁴ Not available with Quick-Release Rear Axles.
- ²⁵ Grade Aids require Quickie style wheel locks

5. FOOTREST

Hanger Type			
<input type="checkbox"/>	086H4	60° Swing-Away Hemi ^{1,3}	\$140.00
<input type="checkbox"/>	086H131	60° Swing-Away ⁴	\$140.00
<input type="checkbox"/>	086H2	70° Swing-Away ^{4,5}	\$140.00
<input type="checkbox"/>	086H24	K0053 Articulating Legrests ^{4,6,7,8,9}	\$350.00
<input type="checkbox"/>	086H14	E0990 Elevating Legrests ^{4,10}	\$295.00

Footplates			
<input type="checkbox"/>	086F1	Composite w/Heel Loops ¹³	Std
<input type="checkbox"/>	086F5	Aluminum ¹⁴	NC
<input type="checkbox"/>	086F3	E0951 K0040 Adult Angle-Adj. w/Heel Loops ¹⁶	\$185.00

Footrest Extension Tubes			
<input type="checkbox"/>	086E1	Short (13"-15 1/2") ^{4,11}	NC
<input type="checkbox"/>	086E2	Medium (15 1/2" - 18") ^{4,6}	Std
<input type="checkbox"/>	086E44	Long (18" - 20 1/2") ^{4,6,12}	\$35.00
<input type="checkbox"/>	086E21	Omit Ext. Tubes & Footplates	NC

6. BACKREST / SEATING

BACKREST (16"-19", 8° w/Push Handles)			
<input type="checkbox"/>	JAY J3 Back ¹⁵		
	086JB01	Please see the J3 Back order form for part #'s.	
<input type="checkbox"/>	086B12	Adjustable w/tall back canes ¹	\$15.00
<input type="checkbox"/>	086BU14	Omit Back Upholstery	-\$15.00

7. ARMRESTS

Flip Back Armrests			
<input type="checkbox"/>		Fixed Height, Desk Length	Std
<input type="checkbox"/>	086AA5	Fixed Height, Full Length	NC
<input type="checkbox"/>	086AA6	E0973 Flip Back Height-Adjustable, Desk	\$295.00
<input type="checkbox"/>		E0973 Flip Back Height-Adjustable, Full	\$295.00

8. KEY OPTIONS AND ACCESSORIES

Backpack & Seat Pouch			
<input type="checkbox"/>	086A1	Utility Back Pack (Black/Charcoal)	\$65.00
<input type="checkbox"/>	086A8	Seat Pouch (Black/Charcoal)	\$50.00

Wheelchair Tray Table - Tuffak			
<input type="checkbox"/>	086A31	E0950 Medium (15"-17")	\$250.00
<input type="checkbox"/>	086A32	E0950 Large (18"-20")	\$250.00

Pelvic Positioning Belt			
<input type="checkbox"/>	086A12	E0978 Aircraft Buckle (2" wide)	\$110.00
<input type="checkbox"/>	086A142	E0978 1.5" Auto Buckle	\$70.00

Miscellaneous			
<input type="checkbox"/>	086A82	Caddy	\$50.00
<input type="checkbox"/>	086A51	E2207 Crutch Holder	\$195.00
<input type="checkbox"/>	086A83	Tool Kit	\$45.00

9. COLOR

Frame Color			
<input type="checkbox"/>	086C6	Forest Green	Std
<input type="checkbox"/>	086C16	Silver Texture	NC
<input type="checkbox"/>	086C1	Blue	NC
<input type="checkbox"/>	086C2	Black	NC



Sunrise Medical (US) LLC
2842 Business Park Ave. · Fresno, CA 93727 · USA

The chart below specifies which casters and rear wheels are necessary to achieve the front seat heights listed below for **Standard** frames.

Seat Height	Rear Wheels				
	20" Low Poly	20" Full Poly/Pneu 22" Low Poly	22" Full Poly/Pneu	24" Low Poly	24" Full Poly/Pneu
15.0"	5" lp	N/A	N/A	N/A	N/A
16.0"	5" lp	5" lp	N/A	N/A	N/A
16.5"	5" lp	5" lp	N/A	N/A	N/A
17.0"	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	N/A
17.5"	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp
18.0"	N/A	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem
18.5"	N/A	8" lp *20" full poly not recommended	8" lp	8" lp	8" lp
19.0"	N/A	N/A	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu
19.5"	N/A	N/A	N/A	N/A	8" pneu & 1-1/2" stem
20.0"	N/A	N/A	N/A	N/A	8" lp & 1-1/2" stem
20.5"	N/A	N/A	N/A	N/A	8" pneu & 1-1/2" stem

The chart below specifies which casters and rear wheels are necessary to achieve the front seat heights listed below for **Ultra Hemi** frames.

Seat Height	Rear Wheels				
	20" Low Poly	20" Full Poly/Pneu 22" Low Poly	22" Full Poly/Pneu	24" Low Poly	24" Full Poly/Pneu
13.0"	5" lp	N/A	N/A	N/A	N/A
14.0"	5" lp	5" lp	N/A	N/A	N/A
14.5"	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	N/A
15.0"	8" lp	8" lp	8" lp	8" lp	N/A
15.5"	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem
16.0"	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu
16.5"	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem
17.0"	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu
17.5"	N/A	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu
18.0"	N/A	N/A	8" pneu & 1-1/2" stem	8" pneu & 1-1/2" stem	8" pneu & 1-1/2" stem