





CE	
88 68 70.	r Contact Details
Customer Name: Advisor:	Ship to Customer Address: Shipping Name:
Address:	Shipping Address:
Phone:	Phone:
Email:	Email:
Addition	nal Information
Notes:	Current Wheelchair: Customer Weight:
	Customer Height:
	Customer Disability:
	Other
VAT Exemption Declaration (UK Only):	RGK Contact Authorisation:
I declare that I am chronically sick or disabled by reason of:	From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party.
and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified	_

VAT Exemption Declaration (UK Only):	
I declare that I am chronically sick or disabled by reason of:	
and that I am receiving from RGK Wheelchairs Ltd, the whee herein and I claim relief from Value Added Tax under group Value Added Tax Act 1994.	
Signature:	Date:

From time to time, RGK would like to send you exclusive information, news and
offers on everything RGK, by email or post. We will not pass any of your details
to any third party.
I would like to be contacted by RGK:



SERIAL NO: _____



Guide: Base product	Required option	Optional Extra	\triangle	Critical Information	(i) Information Needed
		PRODUCT ST	YLE		
ECAXZ010 \$7,523.00	ELITE CX			7	\Box
XA600	Heat treated frame			100	-
ECAXA062	Standard		- =	A N	A CHILLIAN
ECAXA063 \$69.00	Standard with 25mm seatrail				
	ight 125kg (275lbs)	A 0 A		D 0 1 1 1 1 1 1 1 1	0
PLEASE NOTE:	ALL RGK CHAIRS ARE HAND BUILT			EMENT TOLERANCE OF	+/- 5MM
XW009 Q	HOTE ONLY INO CAD FOR ADDROV	CAD APPRO		1 ODDED (NO CAD FO)	D. ADDDOVAL)
\$ 0.00	UOTE ONLY (NO CAD FOR APPROVA	AL)	XW01 \$0.00	1 ORDER (NO CAD FOI	RAPPROVALI
	UOTE CAD drawing for approval customer amendments ONLY)		XW01 \$260.0		
		KEY FRAME MEASU	REMEN	ITS	
XY010	Seat width (Inside to inside of side	eguards)			T XAOLO I
Ţ		(Max - 390mm) (Min=270mm)			W Z
	Select CX shell width (optional)			Note: CX Shell Seat Tape	er IMH HMV
	A-330mm XY010 = 270-315	C-380mm XY010 = 32	10-365	Seat Taper	Seat length (mm) 250 300 350 400
	B-355mm XY010 = 295-340 Hard foam will be used to get Sea	D-405mm XY010 = 34	5-390	width 355 380 380 380	205 280 255 230 230 305 280 255 255 330 305 280 280 355 330 305 380 355 330 305
XY020	Seat length				ñ
Ţ		Std = 20mm less than seat uphol (Max - 500mm)	stery	XYO	30 XY020
□ xy030	Extra seat length (Provides additi	onal leg support & hand grip)		XY050	
ECAXY050	Front seat height (Floor to middle	of seat without cushion)		× 50	
		(Max - 630mm) (Min - 360mm)			
ECAXY060	Rear seat height (Floor to middle	of seat without cushion) (Max - 630mm)		H	
XY070		(Min - 360mm)		5-1-	× v
Ţ	mm	(Min = XY020 + XY030 + 140mm)			XY070





FRONT	FRAME
XY080 Seat taper design	
Specify taper width mm	
	TREST
ECAXB080 Fixed position footrest	EST Type ECAXB145 Multi position footrest tubes \$140.00
Footrest M	easurements
Front footrest height mm (min = 35mm)	Footrest width mm (Std= 200mm)
Rear footrest height mm (min = 35mm)	Footrest length mm (Std = 250mm)
Footrest position (front of footplate to castor pot)	[[Std = 230HH])
Footrest Plate	
_	XB100 ABS moulded foot tray
XB190 Carbon fibre footplate \$219.00	XB100 ABS moulded foot tray \$129.00 Specify length
ECAXB140 Spacer kit \$19.00 (Allows for 25mm increase in height)	Max = 380mm (Full) std = 330mm
Footrest P	late Options
XB240 Aluminium raised edges \$75.00 (Cost per Edge)	XB250 Carbon Fibre raised edge \$290.00 (1 side only)
Front Back Left Right	Front Back
Specify height	Specify height
(Max = 60mm)	(Max = 45mm)
Castor	Pin Width
XY330 Castor pin width mm MAX 320mm	
Optimise measurements	14 x-1230
Оринняе шеазагентентя	





	ING AND ANTI-TIP y and Camber Angle
ECAXY510 Fixed centre of gravity Specify measurement mm	XY390 Camber angle 18 20
Wing Option	ns (Choose one)
ECAXA110 Round design basketball wing	ECAXA125 Arrow design basketball wing \$176.00
ECAXA120 Straight sided design basketball wing \$176.00	т
Anti-tip optio	ns (Choose one)
ECAXJ040 Single fixed anti tip	ECAXJ060 Double fixed anti tip \$249.00
	SIDES
Side Mea	asurements
Sideguard height (std = 150mm)(follow tyre)(Max = 180)	Backrest depth (std = 120mm)(Max = 150)
(sta = 130mm)(Johow tyre)(max = 180)	(Sta = 12011111)(Max = 150)
①	①
Individ	ual Shape
	KREST
Backrest Heig	ht (Choose One)
XY230 Fixed backrest height	
Specify height	
<u> </u>	
Backrest depth top (distance from front of back post to middle of upholstery)	Note: Take measurement
	from exisiting chair
mm	
— • • • • • • • •	
Backrest depth bottom (distance from front of back post to middle of upholstery)	定義 济气
	0 10 500 VIII
mm	





			CASTOR A	ND REAR	WHEELS			
_			C	astor Options				
XC160	Sport 61mm castor (Black)				X		nes Reds bearings castor bearings)	
XC200	Sport micro fork					C182 Bor	nes Swiss Ceramic b castor bearings)	earings
			Re	ear Wheel Size	е			
XY420 24	4" Wheels	XY430	25" Wheels	×	(Y440 26" V	Vheels	XY450	700C Wheels
			Re	ear Wheel Ga	р			
XY460	Rear wheel gap	XY460		XY470	Inside to ins	side of wheel		2000
Individual 15	20 25 30 mm		О	R <u>!</u>		mm		
			Rear	r Wheel Optio	ons			
ХКО80 \$750.00	Spinergy SLX 24 spoke	e			XK330 \$1,385. 0		SLX R10 heavy duty mber angle only)	24 spoke
XK101 \$822.00	Spinergy X SLX 24 spol	ke + Caps			XK521 \$252.00	,	Ceramic bearing upg	grade
Spinergy Colo	our Options:							
Black spoke			Yellow spoke	es.	XK180 \$175.00		spoke design blour)	
Red spokes	Blue spo	okes	Pink spokes			Inside:		
Purple spok	es Orange s	spokes	Green spokes	S		Outside:		
Spinergy Ano		.					VIV205	
	lack hub td option)	XK200 Silv \$92.00	er hub	XK20 \$27 4		/rims	XK205 \$316.00	Individual hub/rims Select colour:
XK202 Pt	urple hub/rims	XK203 Blu						
\$274.00		\$274.00	e hub/rims	XK20 \$27 4		o/rims		
				\$274 y Without Wh	1.00	o/rims		
\$274.00 XK040 -\$184.00	Supply without Whee	\$274.00		\$274	1.00	o/rims	Туге Туре:	
XK040	_	\$274.00	Suppl	\$274 y Without Wh	a.00 neels			
XK040 -\$184.00	Supply without Whee	\$274.00	Suppl	\$274 y Without Wh Wheel Type:	pptions	Wide set h	nandrim	
XK040 -\$184.00	Supply without Whee	\$274.00	Supply Supply I	\$274 y Without Wh Wheel Type:	neels	Wide set h Super nari		: XL090)
XK040 -\$184.00 XY480 XL090	Supply without Whee Narrow set handrim Remove excess moun	\$274.00	Supply Handrin	\$274 y Without Wh Wheel Type:	### Application ### Applicat	Wide set h Super nari	nandrim row set handrim	: XL090)
XK040 -\$184.00 XY480 XL090	Supply without Whee Narrow set handrim Remove excess moun	\$274.00	Supply Handrin	\$274 y Without Wh Wheel Type: n Position / C	### Application ### Applicat	Wide set h Super nari (only with	nandrim row set handrim XL040 and includes	: XL090)
XK040 -\$184.00 XY480 XL090 \$101.00 XL070	Narrow set handrim Remove excess moun (recommended for sm Aluminium hard anod	\$274.00 It is the state of the	Supply Handrin	\$274 y Without Wh Wheel Type: n Position / C		Wide set h Super name (only with) Titanium 6 (Not with) Stainless s	nandrim row set handrim XL040 and includes 5 tab 700C)	: XL090)
XK040 -\$184.00 XY480 XL090 \$101.00	Narrow set handrim Remove excess moun (recommended for sm	\$274.00 It is the state of the	Supply Handrin	\$274 y Without Wh Wheel Type: n Position / C	XY485	Wide set h Super name (only with) Titanium 6 (Not with) Stainless s	nandrim row set handrim XL040 and includes 5 tab 700C)	XL090)
XK040 -\$184.00 XY480 XL090 \$101.00 XL070	Narrow set handrim Remove excess moun (recommended for sm Aluminium hard anod	\$274.00 It is the state of the	Supply Handrin	\$274 y Without Wh Wheel Type: n Position / Co		Wide set h Super name (only with) Titanium 6 (Not with) Stainless s	nandrim row set handrim XL040 and includes 6 tab 700C) steel 6 tab	: XL090)
XK040 -\$184.00 XY480 XL090 \$101.00 XL010 XL070 \$101.00	Narrow set handrim Remove excess moun (recommended for sm Aluminium hard anod Aluminium hard anod (24" not available)	\$274.00 els ting tabs nall wheel gaps dised 6 tab	Supply Handrin	\$274 y Without Wh Wheel Type: n Position / Co	xy485 xL080 \$203.00 XL080 \$2132.00 XL095 XL095	Wide set h Super nari (only with Titanium 6 (Not with Stainless s	nandrim row set handrim XL040 and includes 6 tab 700C) steel 6 tab	: XL090)
XK040 -\$184.00 XY480 XL090 \$101.00 XL070 \$101.00 XM070 XM150	Narrow set handrim Remove excess moun (recommended for sm Aluminium hard anod (24" not available) Kenda Kaliente IRC Exeracer Pro	\$274.00 els ting tabs nall wheel gaps dised 6 tab	Supply Handrin	\$274 y Without Wh Wheel Type: n Position / Co	xy485 xL080 \$203.00 XL080 \$2132.00 XL095 XL095	Wide set h Super nari (only with Titanium 6 (Not with Stainless s	nandrim row set handrim XL040 and includes 6 tab 700C) steel 6 tab	XL090)
XK040 -\$184.00 XY480 XL090 \$101.00 XL070 \$101.00 XM070 XM150 \$83.00 XM080	Narrow set handrim Remove excess moun (recommended for sm Aluminium hard anod (24" not available) Kenda Kaliente IRC Exeracer Pro (Red Only) Tufo MS3 tubeless	\$274.00 els ting tabs nall wheel gaps dised 6 tab	Supple Handrin	\$274 y Without Wh Wheel Type: n Position / Co	xy485 xL080 \$203.00 XL080 \$2132.00 XL095 XL095	Wide set h Super nari (only with Titanium 6 (Not with Stainless s	nandrim row set handrim XL040 and includes 6 tab 700C) steel 6 tab	: XL090)
XK040 -\$184.00 XY480 XL090 \$101.00 XL070 \$101.00 XM070 XM150 \$83.00 XM080	Narrow set handrim Remove excess moun (recommended for sm Aluminium hard anod (24" not available) Kenda Kaliente IRC Exeracer Pro (Red Only) Tufo MS3 tubeless	\$274.00 els ting tabs nall wheel gaps, dised 6 tab Grade 12 tab	Supple Handrin	\$274 y Without Wh Wheel Type: In Position / O Ilandrim Style	xy485 xL080 \$203.00 XL080 \$2132.00 XL095 XL095	Wide set h Super nari (only with Titanium 6 (Not with Stainless s Kenda Wid (Grey Only)	nandrim row set handrim XL040 and includes 6 tab 700C) steel 6 tab	
XK040 -\$184.00 XY480 XL090 \$101.00 XL010 XL070 \$101.00 XM070 XM150 \$83.00 XM080 \$83.00 ECAXK500	Narrow set handrim Remove excess moun (recommended for sm Aluminium hard anod (24" not available) Kenda Kaliente IRC Exeracer Pro (Red Only) Tufo MS3 tubeless (Blue only) Spare wheel Spinergy	\$274.00 It is tabs tab	Supply Handrin Handrin H	\$274 y Without Wh Wheel Type: In Position / O Ilandrim Style	XY485	Wide set h Super nare (only with Titanium 6 (Not with Stainless s Kenda Wid (Grey Only)	nandrim row set handrim XL040 and includes 6 tab 700C) steel 6 tab de	idual Hubs/Rims
XK040 -\$184.00 XY480 XL090 \$101.00 XL010 XL070 \$101.00 XM070 XM150 \$83.00 XM080 \$83.00 XM080 \$845.00 XK520	Narrow set handrim Remove excess moun (recommended for sm Aluminium hard anod (24" not available) Kenda Kaliente IRC Exeracer Pro (Red Only) Tufo MS3 tubeless (Blue only) Spare wheel Spinergy (Built up + axle pin)	\$274.00 It is tabs tab	Supply Handrin Handrin Supply Handrin	\$274 y Without Wh Wheel Type: In Position / O Ilandrim Style	XY485	Wide set h Super nare (only with Titanium 6 (Not with Stainless s Kenda Wid (Grey Only)	nandrim row set handrim XL040 and includes 6 tab 700C) steel 6 tab de y)	idual Hubs/Rims
XK040 -\$184.00 XY480 XL090 \$101.00 XL070 \$101.00 XM070 XM150 \$83.00 XM080 \$83.00 XM080 \$845.00 XK520 \$196.00 XK522	Narrow set handrim Remove excess moun (recommended for sm Aluminium hard anod (24" not available) Kenda Kaliente IRC Exeracer Pro (Red Only) Tufo MS3 tubeless (Blue only) Spare wheel Spinergy (Built up + axle pin) Spare wheel upcharge	\$274.00 It is tabs tab	Supply Handrin Handrin Handrin Supply Handrin	\$274 y Without Wh Wheel Type: In Position / O Ilandrim Style	XY485	Wide set h Super nare (only with Titanium 6 (Not with Stainless s Kenda Wid (Grey Only)	nandrim row set handrim XL040 and includes 6 tab 700C) steel 6 tab de y)	idual Hubs/Rims





		FINISH OPTIONS Frame finish	
XN010	Powder coated frame	Traine minar	
Frame	Gloss	Frame <u>Matt</u>	Frame <u>Special</u>
riume	Black gloss 103	Black matt 105	Chrome Mirror 300
		<u> </u>	
	White gloss 100	White matt 101	Sparkle silver 170
	Grey gloss 132	Grey matt 131	Metallic black matt 104
	Cream gloss 135	Light grey matt 133	Metallic grey matt 130
	Red gloss 108	Navy blue matt 152	Black sandpaper 201
브	Yellow gloss 120		Grey sandpaper 202
브	Forest green gloss 143		White sandpaper 200
	Green gloss 107	<u></u>	
	Dark blue gloss 151	XN200 Individual paint colour \$172.00	(State Colour/RAL code)
	Royal blue gloss 154		
	Blue gloss 174		
	Duckegg blue gloss 141		
	Pink gloss 188		
	Orange gloss 180		
	Purple gloss 157		
ECAXN0			
\$ 347.00 ECAXN0			
\$919.00			
		Accent Colour	
Note: Accent o	olour includes, forks, castor caps, a	<u></u>	
L	Black accent	Silver accent XN250 \$172.0	
① <u></u>	Red accent	Blue accent	Select Colour:
	Purple accent		





	HION
XP200 CX seat and backrest upholstery	oam options
Seat cushion foam thickness	Seat cushion foam type Plastazote
7mm 10mm 25mm 50mm Individual thickness	Soft Med (Hard)
Backrest foam thickness	Backrest foam type
7mm 10mm 25mm 50mm Individual thickness	Plastazote Soft Med (Hard)
Indicate Max Height:	
580mm 630mm	
	PPING
Velcro straps XS050 100mm Pro adjustable velcro strap \$119.00	Ratchet Straps XS020 Sport ratchet strap (Click strap) \$81.00 (11" x 2" pad)
XS055 50mm Pro adjustable velcro strap \$119.00	XS021 Sport ratchet strap (Single) \$81.00
XS057 50mm Pro adjustable velcro Knee strap \$119.00 (measurement from tube to tube over knees)	XS025 Pelvi Loc 2DA ratchet strap \$212.00 (For thighs and knees)
Velcro strap position	Select size:
Strap 1	Medium (12") Large (14")
	XS030 Pelvi Loc 3DA ratchet strap \$227.00 (For hips)
	Select size:
	XS035 M2 ratchet strap \$135.00 (For thighs and knees)
Specify strap length Specify distance from back post	1 10" □ 12"
mm mm	XS036 M2 ratchet strap (Single) \$135.00 (For Feet)
	1 10" □12"
Strap 2 Type	Ratchet strap position
	Strap 1 Type Strap 2 Type
Specify strap length Specify distance from back post	Specify distance from back post Specify distance from back post
mm mm	XS040 Fixed mounting points
FRAME	E85.00 (one set per click strap) X1 X2 X3 OPTIONS
XR060 Calf strap mounting loops \$101.00	XR065 Strap location loops \$101.00
XR030 Triple wheel bag	XSO70 Foot strap (select if required)
\$99.00 (Black) XP130 Frame protectors full length	XS060 Calf strap (select if required)
XA150 Plastic tube fitted to offensive wing \$64.00	XP400 Back bar protector
	XR090 Tool kit





OFF SPEC REQUEST* (please specify below the page number(s) and details to which the off seec reauest applies. OFF SPEC REQUEST (please specify below the page number(s) and details to which the off seec reauest applies. APPROVED (or internal sign-off)		AD	DDITIONAL NOTES	
to which the off spec reauest applies. APPROVED (for integral in the control of				
to which the off spec reauest applies. APPROVED (for integral in the control of				
to which the off spec reauest applies. APPROVED (for integral in the control of				
to which the off spec request applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integration of the control				
to which the off spec reauest applies. APPROVED (for integration of the control				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the control of				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec request applies. APPROVED (for integral in the content of				
to which the off spec request applies. APPROVED (for integral in the integral				
to which the off spec request applies. APPROVED (for integral in the content of				
to which the off spec request applies. APPROVED (for integral in the integral				
to which the off spec request applies. APPROVED (for integral in the content of				
to which the off spec request applies. APPROVED (for integral in the integral				
to which the off spec request applies. APPROVED (for integral in the content of				
to which the off spec request applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the control of				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the control of				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec request applies. APPROVED (for integral in the integral				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec request applies. APPROVED (for integral in the integral				
to which the off spec request applies. APPROVED (for integral in the content of				
to which the off spec reauest applies. APPROVED (for integral in the integral				
to which the off spec request applies. APPROVED (for integral in the content of				
to which the off spec reauest applies. APPROVED (for integral in the integral				OFF CDEC DECUES
	OFF SPEC REQU	EST* (please specify to whic		APPROVED (for intern
RGK Internal Sign-off				x
				RGK Internal Sign-off
				
<u></u>				